

**Dr Oliver Mathematics**  
**Mathematics**  
**Factors**  
**Past Examination Questions**

This booklet consists of 17 questions across a variety of examination topics.  
The total number of marks available is 89.

1. Factorise completely

$$x^3 - 4x^2 + 3x.$$

(3)

**Solution**

$$\begin{aligned}x^3 - 4x^2 + 3x &\equiv x(x^2 - 4x + 3) \\ &\equiv \underline{\underline{x(x - 3)(x - 1)}}.\end{aligned}$$

2. Given that

$$f(x) \equiv (x^2 - 6x)(x - 2) + 3x,$$

- (a) express  $f(x)$  in the form  $x(ax^2 + bx + c)$ , where  $a$ ,  $b$ , and  $c$  are constants.

(3)

**Solution**

	$x^2$	$-6x$
$x$	$x^3$	$-6x^2$
$-2$	$-2x^2$	$+12x$

So,

$$\begin{aligned}f(x) &\equiv (x^3 - 8x^2 + 12x) + 3x \\ &\equiv \underline{\underline{x^3 - 8x^2 + 15x}}.\end{aligned}$$

- (b) Hence factorise  $f(x)$  completely.


(2)

**Solution**

$$\begin{aligned}x^3 - 8x^2 + 15x &\equiv x(x^2 - 8x + 15) \\ &\equiv \underline{\underline{x(x - 3)(x - 5)}}.\end{aligned}$$


- (c) Sketch the graph of  $y = f(x)$ , showing the coordinates of each point at which the graph meets the axes. (3)

**Solution**



3. (a) On the same axes sketch the graphs of the curves with equations and indicate on your sketches the coordinates of all the points where the curves cross the  $x$ -axis. (3)
- (i)  $y = x^2(x - 2)$ , (3)
- (ii)  $y = x(6 - x)$ . (3)

**Solution**



(b) Use algebra to find the coordinates of the points where the graphs intersect.

(7)

**Solution**

$$\begin{aligned}
 x^2(x-2) &= x(6-x) \Rightarrow x^3 - 2x^2 = 6x - x^2 \\
 &\Rightarrow x^3 - x^2 - 6x = 0 \\
 &\Rightarrow x(x^2 - x - 6) = 0 \\
 &\Rightarrow x(x-3)(x+2) = 0 \\
 &\Rightarrow x = -2, 0, \text{ or } 3.
 \end{aligned}$$

Finally,

$$x = -2 \Rightarrow y = -16 \text{ and we have } \underline{\underline{(-2, -16)}},$$


$$x = 0 \Rightarrow y = 0 \text{ and we have } \underline{\underline{(0, 0)}},$$

$$x = 3 \Rightarrow y = 9 \text{ and we have } \underline{\underline{(3, 9)}}.$$

4. The curve  $C$  has equation

$$y = (x + 3)(x - 1)^2.$$

- (a) Sketch  $C$  showing clearly the coordinates of the points where the curve meets the coordinate axes. (4)



- (b) Show that the equation of  $C$  can be written in the form (2)

$$y = x^3 + x^2 - 5x + k,$$

where  $k$  is a positive integer, and state the value of  $k$ .

**Solution**

	$x^2$	$-2x$	$+1$
$x$	$x^3$	$-2x^2$	$+x$
$+3$	$+3x^2$	$-6x$	$+3$

Hence,

$$(x + 3)(x - 1)^2 \equiv x^3 + x^2 - 5x + \underline{\underline{3}}.$$

5. Factorise completely

$$x^3 - 9x. \quad (3)$$

**Solution**

$$\begin{aligned}x^3 - 9x &\equiv x(x^2 - 9) \\ &\equiv \underline{\underline{x(x+3)(x-3)}}.\end{aligned}$$

6. (a) Factorise completely  $x^3 - 6x^2 + 9x$ .

(3)

**Solution**

$$\begin{aligned}x^3 - 6x^2 + 9x &\equiv x(x^2 - 6x + 9) \\ &\equiv \underline{\underline{x(x-3)^2}}.\end{aligned}$$


- (b) Sketch the curve with equation

(4)

$$y = x^3 - 6x^2 + 9x,$$

showing the coordinates of the points at which the curve meets the  $x$ -axis.

**Solution**




Using your answer to part (b), or otherwise,

- (c) sketch, on a separate diagram, the curve with equation

(2)


$$y = (x-2)^3 - 6(x-2)^2 + 9(x-2),$$

showing the coordinates of the points at which the curve meets the  $x$ -axis.



7. (a) Factorise completely  $x^3 - 4x$ .

(3)




- (b) Sketch the curve  $C$  with equation

(3)

$$x^3 - 4x,$$

showing the coordinates of the points at which the curve meets the  $x$ -axis.




8. (a) On the axes below sketch the graphs of the following two graphs, showing clearly the coordinates of the points where the curves cross the coordinate axes.

(5)

(i)  $y = x(4 - x)$ ,

(ii)  $y = x^2(7 - x)$ .



(b) Show that the x-coordinates of the points of intersection of (3)

$$y = x(4 - x) \text{ and } y = x^2(7 - x)$$

are given by the solutions to the equation

$$x(x^2 - 8x + 4) = 0.$$

**Solution**


$$\begin{aligned}
 x(4-x) &= x^2(7-x) \Rightarrow x(4-x) - x^2(7-x) = 0 \\
 &\Rightarrow x[(4-x) - x(7-x)] = 0 \\
 &\Rightarrow x(4-x-7x+x^2) = 0 \\
 &\Rightarrow \underline{\underline{x(x^2-8x+4) = 0.}}
 \end{aligned}$$

9. Sketch the graph of

$$y = x(x+2)(3-x).$$

(3)

**Solution**



10. Sketch


$$y = (x+1)(x+3)^2,$$

(4)

showing the coordinates of the points at which it meets the axes.

**Solution**





11. The curve  $C$  has equation  $y = x(5 - x)$  and the line  $L$  has equation  $2y = 5x + 4$ .

(a) Use algebra to show that  $C$  and  $L$  do not intersect.

(4)

**Solution**


$$\begin{aligned}
 x(5 - x) &= \frac{5}{2}x + 2 \Rightarrow 5x - x^2 = \frac{5}{2}x + 2 \\
 &\Rightarrow x^2 - \frac{5}{2}x = -2 \\
 &\Rightarrow x^2 - \frac{5}{2}x + \frac{25}{16} = -2 + \frac{25}{16} \\
 &\Rightarrow \left(x - \frac{5}{4}\right)^2 = -\frac{7}{16};
 \end{aligned}$$

hence,  $C$  and  $L$  do not intersect.

(b) Sketch  $C$  and  $L$  on the same diagram, showing the coordinates of the points at which  $C$  and  $L$  meet the axes.

(4)

**Solution**




12. The curve  $C_1$  has equation

$$y = x^2(x + 2).$$

(a) Sketch  $C_1$ , showing the coordinates of the points where  $C_1$  meets the  $x$ -axis. (3)

**Solution**




The curve  $C_2$  has equation

$$y = (x - k)^2(x - k + 2),$$

where  $k$  is a constant and  $k > 2$ .

- (b) Sketch  $C_2$ , showing the coordinates of the points where  $C_2$  meets the  $x$ - and  $y$ -axes. (3)

**Solution**



13. Factorise completely  $x - 4x^3$ . (3)

**Solution**

$$\begin{aligned} x - 4x^3 &\equiv x(1 - 4x^2) \\ &\equiv \underline{\underline{x(1 - 2x)(1 + 2x)}}. \end{aligned}$$

14. Figure 1 shows a sketch of the curve  $C$  with equation  $y = f(x)$ .




Figure 1:  $y = f(x)$

The curve  $C$  passes through the point  $(-1, 0)$  and touches the  $x$ -axis at the point  $(2, 0)$ . The curve  $C$  has a maximum at the point  $(0, 4)$ . The equation of the curve  $C$  can be written in the form

$$y = x^3 + ax^2 + bx + c,$$

where  $a$ ,  $b$ , and  $c$  are integers. Calculate the values of  $a$ ,  $b$ , and  $c$

**Solution**

$$(x + 1)(x - 2)^2 \equiv (x - 1)(x^2 - 4x + 4).$$

Now,

	$x^2$	$-4x$	$+4$
$x$	$x^3$	$-4x^2$	$+4x$
$+1$	$+x^2$	$-4x$	$+4$

Finally,

$$(x - 1)(x^2 - 4x + 4) \equiv \underline{\underline{x^3 - 3x^2 + 4}}.$$


15. The curve  $C$  has equation

$$y = x^2(x - 2),$$

(3)

for all real values of  $x$ . Sketch a graph of curve  $C$ . Show on the sketch the coordinates of each point where the curve  $C$  crosses the coordinate axes.

**Solution**



16. Factorise fully  $25x - 9x^3$ .

**Solution**

$$\begin{aligned} 25x - 9x^3 &\equiv x(25 - 9x^2) \\ &\equiv \underline{\underline{x(5 - 3x)(5 + 3x)}}. \end{aligned}$$

17. (a) Factorise completely  $9x - 4x^3$ .

(3)

**Solution**

$$9x - 4x^3 \equiv x(9 - 4x^2) \\ \equiv \underline{\underline{x(3 - 2x)(3 + 2x)}}.$$

(b) Sketch the curve  $C$  with equation

(3)

$$y = 9x - 4x^3.$$

Show on your sketch the coordinates at which the curve meets the  $x$ -axis.

**Solution**

