


Dr Oliver Mathematics
Mathematics: Higher
2015 Paper 2: Calculator
1 hour 30 minutes

The total number of marks available is 70.

You must write down all the stages in your working.

1. The vertices of triangle ABC are $A(-5, 7)$, $B(-1, -5)$, and $C(13, 3)$ as shown in the diagram.



The broken line represents the altitude from C .

- (a) Show that the equation of the altitude from C is (4)

$$x - 3y = 4.$$

- (b) Find the equation of the median from B . (3)

- (c) Find the coordinates of the point of intersection of the altitude from C and the median from B . (2)

2. Functions f and g are defined on suitable domains by

$$f(x) = 10 + x \text{ and } g(x) = (1 + x)(3 - x) + 2.$$

- (a) Find an expression for $f(g(x))$. (2)

(b) Express $f(g(x))$ in the form $p(x + q)^2 + r$. (3)

Another function h is given by

$$h(x) = \frac{1}{f(g(x))}.$$

(c) What values of x cannot be in the domain of h ? (2)

3. A version of the following problem first appeared in print in the 16th century.

A frog and a toad fall to the bottom of a well that is 50 feet deep.

Each day, the frog climbs 32 feet and then rests overnight. During the night, it slides down $\frac{2}{3}$ of its height above the floor of the well.

The toad climbs 13 feet each day before resting. Overnight, it slides down $\frac{1}{4}$ of its height above the floor of the well.

Their progress can be modelled by the recurrence relations:

- $f_{n+1} = \frac{1}{3}f_n + 32, f_1 = 32,$
- $t_{n+1} = \frac{3}{4}t_n + 13, t_1 = 13,$


where f_n and t_n are the heights reached by the frog and the toad at the end of the n th day after falling in.

(a) Calculate t_2 , the height of the toad at the end of the second day. (1)

(b) Determine whether or not either of them will eventually escape from the well. (5)

4. A wall plaque is to be made to commemorate the 150th anniversary of the publication of "*Alice's Adventures in Wonderland*".

The edges of the wall plaque can be modelled by parts of the graphs of four quadratic functions as shown in the sketch.



- $f(x) = \frac{1}{4}x^2 - \frac{1}{2}x + 3$,
- $g(x) = \frac{1}{4}x^2 - \frac{3}{2}x + 5$,
- $h(x) = \frac{3}{8}x^2 - \frac{9}{4}x + 3$
- $k(x) = \frac{3}{8}x^2 - \frac{3}{4}x$.

- (a) Find the x -coordinate of the point of intersection of the graphs with equations $y = f(x)$ and $y = g(x)$. (2)

The graphs of the functions $f(x)$ and $h(x)$ intersect on the y -axis.
The plaque has a vertical line of symmetry.

- (b) Calculate the area of the wall plaque. (7)


5. Circle C_1 has equation

$$x^2 + y^2 + 6x + 10y + 9 = 0.$$

The centre of circle C_2 is $(9, 11)$.

Dr. Oliver
Mathematics

Dr. Oliver
Mathematics



Circles C_1 and C_2 touch externally.


(a) Determine the radius of C_2 . (4)

A third circle, C_3 , is drawn such that:

- both C_1 and C_2 touch C_3 internally,
- the centres of C_1 , C_2 , and C_3 are collinear.

(b) Determine the equation of C_3 . (4)

6. Vectors \mathbf{p} , \mathbf{q} , and \mathbf{r} are represented on the diagram as shown.



- $BCDE$ is a parallelogram,
- ABE is an equilateral triangle,
- $|\mathbf{p}| = 3$,
- Angle $ABC = 90^\circ$.

(a) Evaluate (3)

$$\mathbf{p} \cdot (\mathbf{q} + \mathbf{r}).$$

(b) Express \overrightarrow{EC} in terms of \mathbf{p} , \mathbf{q} , and \mathbf{r} . (1)

(c) Given that (3)

$$\overrightarrow{AE} \cdot \overrightarrow{EC} = 9\sqrt{3} - \frac{9}{2},$$

find $|\mathbf{r}|$.

7. (a) Find (2)

$$\int (3 \cos 2x + 1) dx.$$

(b) Show that (2)

$$3 \cos 2x + 1 \equiv 4 \cos^2 x - 2 \sin^2 x.$$

(c) Hence, or otherwise, find


(2)

$$\int (\sin^2 x - 2 \cos^2 x) dx.$$

8. A crocodile is stalking prey located 20 metres further upstream on the opposite bank of a river.

Crocodiles travel at different speeds on land and in water.

The time taken for the crocodile to reach its prey can be minimised if it swims to a particular point, P , x metres upstream on the other side of the river as shown in the diagram.



The time taken, T , measured in tenths of a second, is given by

$$T(x) = 5\sqrt{36 + x^2} + 4(20 - x).$$

- (a) (i) Calculate the time taken if the crocodile does not travel on land. (1)
(ii) Calculate the time taken if the crocodile swims the shortest distance possible. (1)

Between these two extremes there is one value of x which minimises the time taken.

- (b) Find this value of x and hence calculate the minimum possible time. (8)

9. The blades of a wind turbine are turning at a steady rate. (8)

The height, h metres, of the tip of one of the blades above the ground at time, t seconds, is given by the formula

$$h = 36 \sin(1.5t) - 15 \cos(1.5t) + 65.$$

Express

$$36 \sin(1.5t) - 15 \cos(1.5t)$$

in the form

$$k \sin(1.5t - a),$$

where $k > 0$ and $0 < a < \frac{1}{2}\pi$, and hence find the two values of t for which the tip of this blade is at a height of 100 metres above the ground during the first turn.