Dr Oliver Mathematics Cambridge O Level Additional Mathematics 2004 November Paper 1: Calculator 2 hours

The total number of marks available is 80. You must write down all the stages in your working.

1. The position vectors of points A, B, and C, relative to an origin O, are $\mathbf{i} + 9\mathbf{j}$, $5\mathbf{i} - 3\mathbf{j}$, (4) and $k(\mathbf{i} + 3\mathbf{j})$ respectively, where k is a constant.

Given that C lies on the line AB, find the value of k.

2. A youth club has facilities for members to play pool, darts, and table-tennis.

Every member plays at least one of the three games.

 $P,\ D,$ and T represent the sets of members who play pool, darts, and table-tennis respectively.


Express each of the following in set language and illustrate each by means of a Venn diagram.

- (a) The set of members who only play pool. (2)
- (b) The set of members who play exactly 2 games, neither of which is darts. (2)
- 3. Without using a calculator, solve, for x and y, the simultaneous equations (5)

$$8^{x} \div 2^{y} = 64,$$

$$3^{4x} \times \left(\frac{1}{9}\right)^{y-1} = 81.$$

4. The diagram shows a sector COD of a circle, centre O, in which angle $COD = \frac{4}{3}$ radians. (6)



The points A and B lie on OD and OC respectively, and AB is an arc of a circle, centre O, of radius 7 cm.

Given that the area of the shaded region ABCD is 48 cm², find the perimeter of this shaded region.

5. Given that the expansion of

$$(a+x)(1-2x)^n$$

(6)

(2)

(4)

in ascending powers of x is

$$3 - 41x + bx^2 + \dots$$

find the values of the constants a, n, and b.

6. The function f is defined, for $0 < x < \pi$, by

$$f(x) = 5 + 3\cos 4x.$$

Find

- (a) the amplitude and the period of f,
- (b) the coordinates of the maximum and minimum points of the curve y = f(x).
- 7. (a) Find the number of different arrangements of the 9 letters of the word SINGAPORE (2) in which S does not occur as the first letter.

3 students are selected to form a chess team from a group of 5 girls and 3 boys.

- (b) Find the number of possible teams that can be selected in which there are more (4) girls than boys.
- 8. The function f is defined, for $x \in \mathbb{R}$, by

$$f: x \mapsto \frac{3x+11}{x-3}, \, x \neq 3.$$

(a) Find f^{-1} in terms of x and explain what this implies about the symmetry of the (3) graph of y = f(x).

The function g is defined, for $x \in \mathbb{R}$, by

$$g: x \mapsto \frac{x-3}{2}.$$

- (b) Find the values of x for which $f(x) = g^{-1}(x)$. (3)
- (c) State the value of x for which gf(x) = -2. (1)

9. (a) Solve, for $0^{\circ} \leq x \leq 360^{\circ}$, the equation

$$\sin^2 x = 3\cos^2 x + 4\sin x.$$

(b) Solve, for 0 < y < 4, the equation

$$\cot 2y = 0.25,$$

giving your answer radians correct to 2 decimal places.

10. A curve has the equation

 $y = x^3 \ln x,$

where x > 0.

(a) Find an expression for
$$\frac{\mathrm{d}y}{\mathrm{d}x}$$

Hence

- (b) calculate the value of $\ln x$ at the stationary point of the curve,
- (c) find the approximate increase in y as x increases from e to e + p, where p is small, (2)
- (d) find

$$\int x^2 \ln x \, \mathrm{d}x.$$

11. The line

intersects the curve

xy = 28x - 27y

at the point P(1,1) and at the point Q.

The perpendicular bisector of PQ intersects the line y = 4x at the point R.

Calculate the area of triangle PQR.

EITHER

12. At the beginning of 1960, the number of animals of a certain species was estimated at $20\,000.$

This number decreased so that, after a period of n years, the population was

 $20\,000\,\mathrm{e}^{-0.05n}$.

Estimate

$$y = 3x + 1$$

$$4y = 3x + 1$$

(4)

(4)

(2)

(2)

(3)

(9)

- (a) (i) the population at the beginning of 1970,
 - (ii) the year in which the population would be expected to have first decreased to (3) 2000.
- (b) Solve the equation

$$3^{x+1} - 2 = 8 \times 3^{x-1}.$$

(1)

(6)

 \mathbf{OR}

13. A curve has the equation

$$y = e^{\frac{1}{2}x} + 3e^{-\frac{1}{2}x}.$$

- (a) Show that the exact value of the *y*-coordinate of the stationary point of the curve (4) is $2\sqrt{3}$.
- (b) Determine whether the stationary point is a maximum or a minimum. (2)
- (c) Calculate the area enclosed by the curve, the x-axis and the lines x = 0 and x = 1. (4)





