

**Dr Oliver Mathematics**  
**Further Mathematics**  
**Moments Part 2**  
**Past Examination Questions**

This booklet consists of 27 questions across a variety of examination topics. The total number of marks available is 261.

1. A uniform ladder  $AB$ , of mass  $m$  and length  $2a$ , has one end  $A$  on rough horizontal ground. The other end  $B$  rests against a smooth vertical wall. The ladder is in a vertical plane perpendicular to the wall. The ladder makes an angle  $\alpha$  with the horizontal, where  $\tan \alpha = \frac{4}{3}$ . A child of mass  $2m$  stands on the ladder at  $C$  where  $AC = \frac{1}{2}a$ , as shown in Figure 1. (9)




Figure 1: a uniform ladder  $AB$ , of mass  $m$  and length  $2a$

The ladder and the child are in equilibrium. By modelling the ladder as a rod and the child as a particle, calculate the least possible value of the coefficient of friction between the ladder and the ground.

2. A uniform ladder, of weight  $W$  and length  $2a$ , rests in equilibrium with one end  $A$  on a smooth horizontal floor and the other end  $B$  on a rough vertical wall. The ladder is in a vertical plane perpendicular to the wall. The coefficient of friction between the wall and the ladder is  $\mu$ . The ladder makes an angle  $\theta$  with the floor, where  $\tan \theta = 2$ . A

horizontal light inextensible string  $CD$  is attached to the ladder at the point  $C$ , where  $AC = \frac{1}{2}a$ . The string is attached to the wall at the point  $D$ , with  $BD$  vertical, as shown in Figure 2.




Figure 2: a uniform ladder, of weight  $W$  and length  $2a$

The tension in the string is  $\frac{1}{4}W$ . By modelling the ladder as a rod,

(a) find the magnitude of the force of the floor on the ladder, (5)

(b) show that  $\mu \geq \frac{1}{2}$ . (4)

(c) State how you have used the modelling assumption that the ladder is a rod. (1)

3. A uniform ladder  $AB$ , of mass  $m$  and length  $2a$ , has one end  $A$  on rough horizontal ground. The coefficient of friction between the ladder and the ground is 0.6. The other end  $B$  of the ladder rests against a smooth vertical wall.

A builder of mass  $10m$  stands at the top of the ladder. To prevent the ladder from slipping, the builders friend pushes the bottom of the ladder horizontally towards the wall with a force of magnitude  $P$ . This force acts in a direction perpendicular to the wall. The ladder rests in equilibrium in a vertical plane perpendicular to the wall and makes an angle  $\alpha$  with the horizontal, where  $\tan \alpha = \frac{3}{2}$ .

(a) Show that the reaction of the wall on the ladder has magnitude  $7mg$ . (5)

(b) Find, in terms of  $m$  and  $g$ , the range of values of  $P$  for which the ladder remains in equilibrium. (7)

4. A uniform rod  $AB$ , of length  $8a$  and weight  $W$ , is free to rotate in a vertical plane about a smooth pivot at  $A$ . One end of a light inextensible string is attached to  $B$ . The other end is attached to point  $C$  which is vertically above  $A$ , with  $AC = 6a$ . The rod is in equilibrium with  $AB$  horizontal, as shown in Figure 3.




Figure 3: a uniform rod  $AB$ , of length  $8a$  and weight  $W$

- (a) By taking moments about  $A$ , or otherwise, show that the tension in the string is  $\frac{5}{6}W$ . (4)
- (b) Calculate the magnitude of the horizontal component of the force exerted by the pivot on the rod. (3)
5. A uniform pole  $AB$ , of mass  $30$  kg and length  $3$  m, is smoothly hinged to a vertical wall at one end  $A$ . The pole is held in equilibrium in a horizontal position by a light rod  $CD$ . One end  $C$  of the rod is fixed to the wall vertically below  $A$ . The other end  $D$  is freely jointed to the pole so that  $\angle ACD = 30^\circ$  and  $AD = 0.5$  m, as shown in Figure 4.




Figure 4: a uniform pole  $AB$  of mass  $30$  kg and length  $3$  m

Find

(a) the thrust in the rod  $CD$ , (4)

(b) the magnitude of the force exerted by the wall on the pole at  $A$ . (6)

The rod  $CD$  is removed and replaced by a longer light rod  $CM$ , where  $M$  is the mid-point of  $AB$ . The rod is freely jointed to the pole at  $M$ . The pole  $AB$  remains in equilibrium in a horizontal position.

(c) Show that the force exerted by the wall on the pole at  $A$  now acts horizontally. (2)

6. A ladder  $AB$ , of weight  $W$  and length  $4a$ , has one end  $A$  on rough horizontal ground. The coefficient of friction between the ladder and the ground is  $\mu$ . The other end  $B$  rests against a smooth vertical wall. The ladder makes an angle  $\theta$  with the horizontal, where  $\tan \theta = 2$ . A load of weight  $4W$  is placed at the point  $C$  on the ladder, where  $AC = 3a$ , as shown in Figure 5.




Figure 5: a ladder  $AB$  of weight  $W$  and length  $4a$

The ladder is modelled as a uniform rod which is in a vertical plane perpendicular to the wall. The load is modelled as a particle. Given that the system is in limiting equilibrium,

(a) show that  $\mu = 0.35$ . (6)

A second load of weight  $kW$  is now placed on the ladder at  $A$ . The load of weight  $4W$  is removed from  $C$  and placed on the ladder at  $B$ . The ladder is modelled as a uniform rod which is in a vertical plane perpendicular to the wall. The loads are modelled as particles. Given that the ladder and the loads are in equilibrium,

(b) find the range of possible values of  $k$ . (7)

7. A wooden plank  $AB$  has mass  $4m$  and length  $4a$ . The end  $A$  of the plank lies on rough horizontal ground. A small stone of mass  $m$  is attached to the plank at  $B$ . The plank is resting on a small smooth horizontal peg  $C$ , where  $BC = a$ , as shown in Figure 6.




Figure 6: a wooden plank  $AB$  has mass  $4m$  and length  $4a$

The plank is in equilibrium making an angle  $\alpha$  with the horizontal, where  $\tan \alpha = \frac{3}{4}$ . The coefficient of friction between the plank and the ground is  $\mu$ . The plank is modelled as a uniform rod lying in a vertical plane perpendicular to the peg, and the stone as a particle. Show that

(a) the reaction of the peg on the plank has magnitude  $\frac{16}{5}mg$ , (3)

(b)  $\mu \geq \frac{48}{61}$ . (6)

(c) State how you have used the information that the peg is smooth. (1)

8. A horizontal uniform rod  $AB$  has mass  $m$  and length  $4a$ . The end  $A$  rests against a rough vertical wall. A particle of mass  $2m$  is attached to the rod at the point  $C$ , where  $AC = 3a$ . One end of a light inextensible string  $BD$  is attached to the rod at  $B$  and the other end is attached to the wall at a point  $D$ , where  $D$  is vertically above  $A$ . The rod is in equilibrium in a vertical plane perpendicular to the wall. The string is inclined at an angle  $\alpha$  to the horizontal, where  $\tan \alpha = \frac{3}{4}$ , as shown in Figure 7.




Figure 7: a horizontal uniform rod  $AB$  has mass  $m$  and length  $4a$

(a) Find the tension in the string. (5)

(b) Show that the horizontal component of the force exerted by the wall on the rod has magnitude  $\frac{8}{3}mg$ . (3)

The coefficient of friction between the wall and the rod is  $\mu$ . Given that the rod is in limiting equilibrium,

(c) find the value of  $\mu$ .

(4)

9. A uniform beam  $AB$  of mass 2 kg is freely hinged at one end  $A$  to a vertical wall. The beam is held in equilibrium in a horizontal position by a rope which is attached to a point  $C$  on the beam, where  $AC = 0.14$  m. The rope is attached to the point  $D$  on the wall vertically above  $A$ , where  $\angle ACD = 30^\circ$ , as shown in Figure 8.




Figure 8: a uniform beam  $AB$  of mass 2 kg

The beam is modelled as a uniform rod and the rope as a light inextensible string. The tension in the rope is 63 N.

(a) the length of  $AB$ ,

(4)

(b) the magnitude of the resultant reaction of the hinge on the beam at  $A$ .

(5)

10. A ladder  $AB$ , of mass  $m$  and length  $4a$ , has one end  $A$  resting on rough horizontal ground. The other end  $B$  rests against a smooth vertical wall. A load of mass  $3m$  is fixed on the ladder at the point  $C$ , where  $AC = a$ . The ladder is modelled as a uniform rod in a vertical plane perpendicular to the wall and the load is modelled as a particle. The ladder rests in limiting equilibrium making an angle of  $30^\circ$  with the wall, as shown in Figure 9.




Figure 9: a ladder  $AB$  of mass  $m$  and length  $4a$

Find the coefficient of friction between the ladder and the ground.

11. A plank rests in equilibrium against a fixed horizontal pole. The plank is modelled as a uniform rod  $AB$  and the pole as a smooth horizontal peg perpendicular to the vertical plane containing  $AB$ . The rod has length  $3a$  and weight  $W$  and rests on the peg at  $C$ , where  $AC = 2a$ . The end  $A$  of the rod rests on rough horizontal ground and  $AB$  makes an angle  $\alpha$  with the ground, as shown in Figure 10.




Figure 10: a plank rests in equilibrium against a fixed horizontal pole

- (a) Show that the normal reaction on the rod at  $A$  is (6)

$$\frac{1}{4}(4 - 3 \cos^2 \alpha)W.$$

Given that the rod is in limiting equilibrium and that  $\cos \alpha = \frac{2}{3}$ ,

- (b) find the coefficient of friction between the rod and the ground. (5)

12. Figure 11 shows a ladder  $AB$ , of mass 25 kg and length 4 m, resting in equilibrium with one end  $A$  on rough horizontal ground and the other end  $B$  against a smooth vertical wall. The ladder is in a vertical plane perpendicular to the wall. The coefficient of friction between the ladder and the ground is  $\frac{11}{25}$ . The ladder makes an angle  $\beta$  with the ground. When Reece, who has mass 75 kg, stands at the point  $C$  on the ladder, where  $AC = 2.8$  m, the ladder is on the point of slipping.




Figure 11: a ladder  $AB$  of mass 25 kg and length 4 m

The ladder is modelled as a uniform rod and Reece is modelled as a particle.

- Find the magnitude of the frictional force of the ground on the ladder. (3)
  - Find, to the nearest degree, the value of  $\beta$ . (6)
  - State how you have used the modelling assumption that Reece is a particle. (1)
13. A uniform rod  $AB$ , of length 1.5 m and mass 3 kg, is smoothly hinged to a vertical wall at  $A$ . The rod is held in equilibrium in a horizontal position by a light strut  $CD$  as shown in Figure 12.




Figure 12: a uniform rod  $AB$  of length 1.5 m and mass 3 kg



The rod and the strut lie in the same vertical plane, which is perpendicular to the wall. The end  $C$  of the strut is freely jointed to the wall at a point  $0.5$  m vertically below  $A$ . The end  $D$  is freely jointed to the rod so that  $AD$  is  $0.5$  m.

(a) Find the thrust in  $CD$ . (4)

(b) Find the magnitude and direction of the force exerted on the rod  $AB$  at  $A$ . (7)

14. A uniform rod  $AB$ , of mass  $20$  kg and length  $4$  m, rests with one end  $A$  on rough horizontal ground. The rod is held in limiting equilibrium at an angle  $\alpha$  to the horizontal, where  $\tan \alpha = \frac{3}{4}$ , by a force acting at  $B$ , as shown in Figure 13. (7)




Figure 13: a uniform rod  $AB$  of mass  $20$  kg and length  $4$  m

The line of action of this force lies in the vertical plane which contains the rod. The coefficient of friction between the ground and the rod is  $0.5$ . Find the magnitude of the normal reaction of the ground on the rod at  $A$ .

15. Figure 14 shows a uniform rod  $AB$  of mass  $m$  and length  $4a$ .




Figure 14: a uniform rod  $AB$  of mass  $m$  and length  $4a$

The end  $A$  of the rod is freely hinged to a point on a vertical wall. A particle of mass  $m$  is attached to the rod at  $B$ . One end of a light inextensible string is attached to the

rod at  $C$ , where  $AC = 3a$ . The other end of the string is attached to the wall at  $D$ , where  $AD = 2a$  and  $D$  is vertically above  $A$ . The rod rests horizontally in equilibrium in a vertical plane perpendicular to the wall and the tension in the string is  $T$ .

(a) Show that  $T = mg\sqrt{13}$ . (5)

The particle of mass  $m$  at  $B$  is removed from the rod and replaced by a particle of mass  $M$  which is attached to the rod at  $B$ . The string breaks if the tension exceeds  $2mg\sqrt{13}$ . Given that the string does not break,

(b) show that  $M \leq \frac{5}{2}m$ . (3)

16. A uniform plank  $AB$ , of weight 100 N and length 4 m, rests in equilibrium with the end  $A$  on rough horizontal ground. The plank rests on a smooth cylindrical drum. The drum is fixed to the ground and cannot move. The point of contact between the plank and the drum is  $C$ , where  $AC = 3$  m, as shown in Figure 15. (10)




Figure 15: a uniform plank  $AB$  of weight 100 N and length 4 m

The plank is resting in a vertical plane which is perpendicular to the axis of the drum, at an angle  $\alpha$  to the horizontal, where  $\sin \alpha = \frac{1}{3}$ . The coefficient of friction between the plank and the ground is  $\mu$ . Modelling the plank as a rod, find the least possible value of  $\mu$ .

17. A uniform rod  $AB$ , of mass  $3m$  and length  $4a$ , is held in a horizontal position with the end  $A$  against a rough vertical wall. One end of a light inextensible string  $BD$  is attached to the rod at  $B$  and the other end of the string is attached to the wall at the point  $D$  vertically above  $A$ , where  $AD = 3a$ . A particle of mass  $3m$  is attached to the rod at  $C$ , where  $AC = x$ . The rod is in equilibrium in a vertical plane perpendicular to the wall as shown in Figure 16.




Figure 16: a uniform rod  $AB$  of mass  $3m$  and length  $4a$

The tension in the string is  $\frac{25}{4}mg$ . Show that

(a)  $x = 3a$ , (5)

(b) the horizontal component of the force exerted by the wall on the rod has magnitude  $5mg$ . (3)

The coefficient of friction between the wall and the rod is  $\mu$ . Given that the rod is about to slip,

(c) find the value of  $\mu$ . (5)

18. A uniform rod  $AB$  has mass  $4$  kg and length  $1.4$  m. The end  $A$  is resting on rough horizontal ground. A light string  $BC$  has one end attached to  $B$  and the other end attached to a fixed point  $C$ . The string is perpendicular to the rod and lies in the same vertical plane as the rod. The rod is in equilibrium, inclined at  $20^\circ$  to the ground, as shown in Figure 17.




Figure 17: a uniform rod  $AB$  has mass  $4$  kg and length  $1.4$  m

- (a) Find the tension in the string. (4)

Given that the rod is about to slip,

- (b) find the coefficient of friction between the rod and the ground. (7)

19. A uniform rod  $AB$ , of mass 5 kg and length 4 m, has its end  $A$  smoothly hinged at a fixed point. The rod is held in equilibrium at an angle of  $25^\circ$  above the horizontal by a force of magnitude  $F$  newtons applied to its end  $B$ . The force acts in the vertical plane containing the rod and in a direction which makes an angle of  $40^\circ$  with the rod, as shown in Figure 18.




Figure 18: a uniform rod  $AB$  of mass 5 kg and length 4 m

- (a) Find the value of  $F$ . (4)
- (b) Find the magnitude and direction of the vertical component of the force acting on the rod at  $A$ . (4)
20. A ladder, of length 5 m and mass 18 kg, has one end  $A$  resting on rough horizontal ground and its other end  $B$  resting against a smooth vertical wall. The ladder lies in a vertical plane perpendicular to the wall and makes an angle  $\alpha$  with the horizontal ground, where  $\tan \alpha = \frac{4}{3}$ , as shown in Figure 19. (9)




Figure 19: a ladder of length 5 m and mass 18 kg

The coefficient of friction between the ladder and the ground is  $\mu$ . A woman of mass 60 kg stands on the ladder at the point  $C$ , where  $AC = 3$  m. The ladder is on the point of slipping. The ladder is modelled as a uniform rod and the woman as a particle.

Find the value of  $\mu$ .

21. A uniform rod  $AB$ , of mass  $m$  and length  $2a$ , is freely hinged to a fixed point  $A$ . A particle of mass  $m$  is attached to the rod at  $B$ . The rod is held in equilibrium at an angle  $\theta$  to the horizontal by a force of magnitude  $F$  acting at the point  $C$  on the rod, where  $AC = b$ , as shown in Figure 20.




Figure 20: a uniform rod  $AB$  of mass  $m$  and length  $2a$

The force at  $C$  acts at right angles to  $AB$  and in the vertical plane containing  $AB$ .

(a) Show that  $F = \frac{3amg \cos \theta}{b}$ . (4)

(b) Find, in terms of  $a$ ,  $b$ ,  $g$ ,  $m$ , and  $\theta$ , (5)

(i) the horizontal component of the force acting on the rod at  $A$ ,

(ii) the vertical component of the force acting on the rod at  $A$ .

Given that the force acting on the rod at  $A$  acts along the rod,

(c) find the value of  $\frac{a}{b}$ . (4)

22. A rough circular cylinder of radius  $4a$  is fixed to a rough horizontal plane with its axis horizontal. A uniform rod  $AB$ , of weight  $W$  and length  $6a\sqrt{3}$ , rests with its lower end  $A$  on the plane and a point  $C$  of the rod against the cylinder. The vertical plane through the rod is perpendicular to the axis of the cylinder. The rod is inclined at  $60^\circ$  to the horizontal, as shown in Figure 21.




Figure 21: a uniform rod  $AB$  of weight  $W$  and length  $6a\sqrt{3}$

(a) Show that  $AC = 4a\sqrt{3}$ . (2)

The coefficient of friction between the rod and the cylinder is  $\frac{\sqrt{3}}{3}$  and the coefficient of friction between the rod and the plane is  $\mu$ . Given that friction is limiting at both  $A$  and  $C$ ,

(b) find the value of  $\mu$ . (9)

23. A uniform rod  $AB$  of weight  $W$  has its end  $A$  freely hinged to a point on a fixed vertical wall. The rod is held in equilibrium, at angle  $\theta$  to the horizontal, by a force of magnitude  $P$ . The force acts perpendicular to the rod at  $B$  and in the same vertical plane as the rod, as shown in Figure 22.




Figure 22: a uniform rod  $AB$  of weight  $W$

The rod is in a vertical plane perpendicular to the wall. The magnitude of the vertical component of the force exerted on the rod by the wall at  $A$  is  $Y$ .

(a) Show that

$$Y = \frac{W}{2}(2 - \cos^2 \theta).$$

(6)

Given that  $\theta = 45^\circ$ ,

(b) find the magnitude of the force exerted on the rod by the wall at  $A$ , giving your answer in terms of  $W$ .

(6)

24. A non-uniform rod,  $AB$ , of mass  $m$  and length  $2l$ , rests in equilibrium with one end  $A$  on a rough horizontal floor and the other end  $B$  against a rough vertical wall. The rod is in a vertical plane perpendicular to the wall and makes an angle of  $60^\circ$  with the floor as shown in Figure 23.




Figure 23: a non-uniform rod,  $AB$ , of mass  $m$  and length  $2l$

The coefficient of friction between the rod and the floor is  $\frac{1}{4}$  and the coefficient of friction between the rod and the wall is  $\frac{2}{3}$ . The rod is on the point of slipping at both ends.

- (a) Find the magnitude of the vertical component of the force exerted on the rod by the floor. (5)

The centre of mass of the rod is at  $G$ .

- (b) Find the distance  $AG$ . (5)

25. A ladder  $AB$ , of weight  $W$  and length  $2l$ , has one end  $A$  resting on rough horizontal ground. The other end  $B$  rests against a rough vertical wall. The coefficient of friction between the ladder and the wall is  $\frac{1}{3}$ . The coefficient of friction between the ladder and the ground is  $\mu$ . Friction is limiting at both  $A$  and  $B$ . The ladder is at an angle  $\theta$  to the ground, where  $\tan \theta = \frac{5}{3}$ . The ladder is modelled as a uniform rod which lies in a vertical plane perpendicular to the wall.

Find the value of  $\mu$ .

26. A non-uniform rod  $AB$ , of mass 5 kg and length 4 m, rests with one end  $A$  on rough horizontal ground. The centre of mass of the rod is  $d$  metres from  $A$ . The rod is held in limiting equilibrium at an angle  $\theta$  to the horizontal by a force  $\mathbf{P}$ , which acts in a direction perpendicular to the rod at  $B$ , as shown in Figure 24.




Figure 24: a non-uniform rod  $AB$  of mass 5 kg and length 4 m

The line of action of  $\mathbf{P}$  lies in the same vertical plane as the rod.

- (a) Find, in terms of  $d$ ,  $g$ , and  $\theta$ , (8)



- (i) the magnitude of the vertical component of the force exerted on the rod by the ground,
- (ii) the magnitude of the friction force acting on the rod at  $A$ .

Given that  $\tan \theta = \frac{5}{12}$  and that the coefficient of friction between the rod and the ground is  $\frac{1}{2}$ ,

- (b) find the value of  $d$ .

(4)

27. A uniform rod  $AB$ , of mass 5 kg and length 8 m, has its end  $B$  resting on rough horizontal ground. The rod is held in limiting equilibrium at an angle  $\alpha$  to the horizontal, where  $\tan \alpha = \frac{3}{4}$ , by a rope attached to the rod at  $C$ . The distance  $AC = 1$  m. The rope is in the same vertical plane as the rod. The angle between the rope and the rod is  $\beta$  and the tension in the rope is  $T$  newtons, as shown in Figure 25.




Figure 25: a uniform rod  $AB$  of mass 5 kg and length 8 m

The coefficient of friction between the rod and the ground is  $\frac{2}{3}$ . The vertical component of the force exerted on the rod at  $B$  by the ground is  $R$  newtons.

- (a) Find the value of  $R$ .

(6)

- (b) Find the size of angle  $\beta$ .

(5)